COVID-19 Vaccine Timing 2023-24 – Routine Schedule

Age*	Vaccine	If unvaccinated:	If had any prior doses, give 2023-24 doses:
6 months– 4 years†	Pfizer – Infant/Toddler	1st 3-8 2nd ≥8 Weeks Weeks Dose	If 1 prior dose, then: 3-8** weeks 1 ≥8 weeks 2 If ≥2 prior doses, then: ≥8 weeks 1
	Moderna– Pediatric [≠]	1st 4-8 2nd Dose Dose	If 1 prior dose, then: 4-8 weeks 1 If ≥2 prior doses then: ≥8 weeks 1
5 –11 years	Moderna– Pediatric [≠]	1 Dose	If 1 or more prior doses (of any of the brands), then^:
	Pfizer– Pediatric	1 Dose	≥2 months 2023-24 Formulation: Moderna/Pfizer
12+ years	Pfizer – Adol/Adult (Comirnaty)	1 Dose	If 1 or more prior doses (of any of the brands), then^: ≥2 months 2023-24 Formulation: Moderna/
	Moderna – Adol/Adult (Spikevax)	1 Dose	
	Novavax	1st 3-8 2nd Dose Dose	Pfizer/Novavax

View Interim Clinical Considerations for Use of COVID-19 Vaccines for details. Schedule is subject to change.



^{*} See CDC recommendations for children transitioning from a younger to older age group

[†] Children 6 months – 4 years should receive the same brand of the updated vaccine as the prior doses they received.

^{**} An 8-week interval may be preferable for some people, especially for males 12-39 years.

[≠] All Moderna doses 6 months – 11 years are 0.25 mL (25 mcg).

[^] Janssen (J & J) vaccine has been deauthorized. Follow schedule for 12+ years for any prior doses.

COVID-19 Vaccine Timing 2023-24 if Moderately/Severely Immunocompromised

Age	Vaccine	If unvaccinated:	If had any prior doses give 2023-24 doses:
6 months– 4 years	Pfizer Infant/ Toddler	1st Dose Se	1 prior dose: 3 w 1 ≥8 w 2 ≥2 prior doses: ≥8 w 1 Dose*
	Moderna – Pediatric	1st	1 prior dose: 4 w 1 ≥4 w 2 2 prior doses: ≥4 w 1 ≥2 m Optional
5 –11 years	Moderna – Pediatric	1st	Dose* ≥3 prior doses**: (for ages 5+ yrs, Pfizer dose is also OK)
	Pfizer– Pediatric	1st 3 2nd ≥4 3rd Dose weeks Dose Moderna/ Pfizer	1 prior dose: 3 w 1 ≥4 w 2 2 prior doses: ≥4 w 1
12+ years	Pfizer– Adol/Adult (Comirnaty)	1st 3 2nd ≥4 3rd Dose Dose	Optional Dose*
	Moderna – Adol/Adult (Spikevax)	1st Dose	1 prior dose: 4 w 1 ≥4 w 2 ≥2 m Moderna/ Pfizer 2 prior doses: ≥4 w 1 ≥8 w 1 ≥8 w 1
	Novavax	1st 3 2nd Dose Dose	≥1 prior doses**: ≥2 m 1

^{*} An **optional dose** may be given ≥2 months after the last dose. **Further doses** may be given at the healthcare provider's discretion. See <u>Table 2</u> for vial and dosage.

^{**} Ages 5-11 years may be given Moderna or Pfizer after ≥3 prior doses. Ages 12+ years may be given Moderna, Pfizer, or Novavax.